Amendments	to	the	Claims

Claim 1 (currently amended): A wafer mobile phone platform system for transmitting voice and data

device;

a transceiver unit on said mobile phone wafer, said transceiver unit having telephone

a mobile phone wafer, said mobile phone wafer adaptable for connection to a peripheral

circuitry and componentry adaptable for connection to said wireless communication network for sending and receiving voice and data communications;

a memory storage device on said mobile phone wafer, said memory storage device connected to said transceiver unit and configured to store data accessible by said transceiver unit;

a <u>battery</u> source of electrical power on said mobile phone wafer, said <u>battery</u> source of <u>electrical power</u> operatively connected to said transceiver unit;

a communication device on said mobile phone wafer, said communication device configured to transmit voice and data communications between said transceiver unit and said peripheral device; and

an antenna coupled to said transceiver unit,

over a wireless communication network, said system comprising:

wherein said mobile phone wafer can be selectively <u>utilized as a stand alone mobile</u> <u>phone for wireless voice communication</u> and operatively connected to said peripheral device to interface said transceiver unit with said peripheral device to allow a user to utilize said peripheral device for wireless voice and data communication.

Claim 2 (original): The system according to claim 1, wherein said mobile phone wafer is configured to be coupled with said peripheral device.

1	Claim 3 (original): The system according to claim 2, wherein said mobile phone wafer is configured
2	to be received on or in said peripheral device.
3	
4	Claim 4 (currently amended): The system according to claim 1, wherein said mobile phone wafer
5	further comprises at least one of an on/off switch, a headphone jack and a display screen operatively
6	connected to said transceiver unit.
7	
8	Claim 5 (original): The system according to claim 1, wherein said peripheral device comprises one
9	of: a cellular phone; an earpiece having a speaker and a microphone; a headset having a speaker and a
10	microphone; a laptop computer; a desktop computer; a digital camera; a video camera; a PDA; a
11	printer; a tape recorder; a cordless telephone; a game/message console; and a GPS unit.
12	
13	Claim 6 (original): The system according to claim 1, wherein said peripheral device is an individual
14	reception device configured to allow a user to interface with said transceiver by voice communication
15	to make and receive telephone calls.
16	
17	Claim 7 (original): The system according to claim 1, wherein said peripheral device is a cellular
18	phone comprising a phone body having a standard twelve key keypad, one or more function keys and
19	a display panel.
20	
21	Claim 8 (currently amended): The system according to claim 1, wherein said communication device
22	is comprises a short range radio frequency transceiver.
23	
24	Claim 9 (currently amended): The system according to claim 8, wherein said short range radio
25	frequency transceiver is comprises at least one of a Bluetooth module and a Wi-Fi module.
26	
27	

frequency transceiver is a Wi-Fi module communication device further comprises a headphone jack. Claim 11 (original): The system according to claim 1, wherein said communication device is adaptable for a wired connection to said peripheral device. Claim 12 (original): The system according to claim 11, wherein said wired connection is a USB, serial, parallel or firewire connection.
adaptable for a wired connection to said peripheral device. Claim 12 (original): The system according to claim 11, wherein said wired connection is a USB,
adaptable for a wired connection to said peripheral device. Claim 12 (original): The system according to claim 11, wherein said wired connection is a USB,
Claim 12 (original): The system according to claim 11, wherein said wired connection is a USB,
serial, parallel or firewire connection.
Claim 13 (original): The system according to claim 1, wherein said mobile phone wafer is adaptable
for connection to a plurality of peripheral devices and said mobile phone wafer can be operatively
connected to said plurality of peripheral devices to interface said transceiver unit with said peripheral
devices to allow the user to selectively utilize said peripheral devices for wireless voice and data
communication.
Claim 14 (currently amended): A wafer mobile phone platform system for transmitting voice and dat
over a wireless communication network, said system comprising:
a mobile phone wafer, said mobile phone wafer adaptable for connection to a plurality
of peripheral devices;
a transceiver unit on said mobile phone wafer, said transceiver unit having telephone
a transcerver and on said moone phone water, one transcerver and any pro-
circuitry and componentry adaptable for connection to said wireless communication network for
circuitry and componentry adaptable for connection to said wireless communication network for
circuitry and componentry adaptable for connection to said wireless communication network for sending and receiving voice and data communications;
circuitry and componentry adaptable for connection to said wireless communication network for sending and receiving voice and data communications; a memory storage device on said mobile phone wafer, said memory storage device

a <u>battery</u> source of electrical power on said mobile phone wafer, said <u>battery</u> source of electrical power operatively connected to said transceiver unit;

a communication device on said mobile phone wafer, said communication device configured to transmit voice and data communications between said transceiver unit and said plurality of peripheral devices;

a display screen on said mobile phone wafer, said display screen operatively coupled with said transceiver unit; and

an antenna coupled to said transceiver unit,

wherein said mobile phone wafer can be selectively <u>utilized as a stand alone mobile</u>

<u>phone for wireless voice communication</u> and operatively connected to said plurality of peripheral devices to interface said transceiver unit with said plurality of peripheral devices to allow a user to selectively utilize one of said plurality of peripheral devices for wireless voice and data communication.

Claim 15 (currently amended): The system according to claim 14, wherein said mobile phone wafer further comprises at least one of an on/off switch, a headphone jack and a display screen.

Claim 16 (original): The system according to claim 14, wherein said peripheral device comprises one of: a cellular phone; an earpiece having a speaker and a microphone; a headset having a speaker and a microphone; a laptop computer; a desktop computer; a digital camera; a video camera; a PDA; a printer; a tape recorder; a cordless telephone; a game/message console; and a GPS unit.

.23

Claim 17 (original): The system according to claim 14, wherein said peripheral device is an individual reception device configured to allow a user to interface with said transceiver by voice communication to make and receive telephone calls.

1	Claim 18 (original): The system according to claim 14, wherein said peripheral device is a cellular
2	phone comprising a phone body having a standard twelve key keypad, one or more function keys and
3	a display panel.
4	
5	Claim 19 (currently amended): The system according to claim 14, wherein said communication
6	device is comprises a short range radio frequency transceiver.
7	
8	Claim 20 (currently amended): The system according to claim 19, wherein said short range radio
9	frequency transceiver is comprises at least one of a Bluetooth module and a Wi-Fi module.
10	
11	Claim 21 (currently amended): The system according to claim 19, wherein said short range radio
12	frequency transceiver is a Wi-Fi module communication device further comprises a headphone jack.
13	
14	Claim 22 (original): The system according to claim 14, wherein said communication device is
15	adaptable for a wired connection to said peripheral device.
16	
17	Claim 23 (original): The system according to claim 22, wherein said wired connection is a USB,
18	serial, parallel or firewire connection.
19	
20	Claim 24 (currently amended): The system according to claim 14, wherein said source of electrical
21	power is a rechargeable battery mobile phone wafer has an on/off switch operatively connected to said
22	transceiver unit and said communication device is configured for a wired connection to said peripheral
-23	device and comprises at least one of a short range radio frequency transceiver and a headphone jack.
24	
25	Claim 25 (currently amended): A wafer mobile phone platform system for transmitting voice and data
26	over a wireless communication network, said system comprising:
27	RESPONSE/AMENDMENT Appl. # 10/670,873 -7 of 20 -

.

-23

a mobile phone wafer, said mobile phone wafer adaptable for connection to a plurality of peripheral devices;

a transceiver unit on said mobile phone wafer, said transceiver unit having telephone circuitry and componentry adaptable for connection to said wireless communication network for sending and receiving voice and data communications;

a memory storage device on said mobile phone wafer, said memory storage device connected to said transceiver unit and configured to store data accessible by said transceiver unit and said peripheral device;

a <u>battery</u> source of electrical power on said mobile phone wafer, said <u>battery</u> source of <u>electrical power</u> operatively connected to said transceiver unit;

a communication device on said mobile phone wafer, said communication device configured to transmit voice and data communications between said transceiver unit and said plurality of peripheral devices, said communication device comprising a short range radio frequency transceiver;

an individual reception device in communication with said communication device, said individual reception device configured to allow a user to interface with said transceiver by voice communication so as to make and receive telephone calls;

a display screen on said mobile phone wafer, said display screen operatively coupled with said transceiver unit; and

an antenna coupled to said transceiver unit,

wherein said mobile phone wafer can be selectively <u>utilized as a stand alone mobile</u>

<u>phone for wireless voice communication</u> and operatively connected to said plurality of peripheral
devices to interface said transceiver unit with said plurality of peripheral devices to allow a user to
selectively utilize one of said plurality of peripheral devices for wireless voice and data
communication.

1	Claim 26 (original): The system according to claim 25, wherein said peripheral device is a cellular
2	phone comprising a phone body having a standard twelve key keypad, one or more function keys and
3	a display panel.
4	
5	Claim 27 (currently amended): The system according to claim 25, wherein said communication
6	device is a short range radio frequency transceiver further comprises a headphone jack.
7	
8	Claim 28 (currently amended): The system according to claim 27 25, wherein said short range radio
9	frequency transceiver is comprises at least one of a Bluetooth module and a Wi-Fi module.
10	
11	Claim 29 (currently amended): The system according to claim 19 28, wherein said short range radio
12	frequency transceiver is a Wi-Fi module communication device further comprises a headphone jack.
13	
14	Claim 30 (currently amended): The system according to claim 25 29, wherein said communication
15	device is adaptable configured for a wired connection to said peripheral device.
16	
17	Claim 31 (original): The system according to claim 30, wherein said wired connection is a USB,
18	serial, parallel or firewire connection.
19	
20	Claim 32 (currently amended): The system according to claim 25, wherein said source of electrical
21	power is a rechargeable battery wherein said communication device is configured for a wired
22	connection to said peripheral device.
23	
24	
25	
26	
27	RESPONSE/AMENDMENT

-9 of 20 -

Appl. # 10/670,873